



HARD SIDE
INSTALLATION



SOFT SIDE
INSTALLATION

MAINTAIN SCREW
MINIMUM EDGE
DISTANCE



GAP AS REQ'D
TO ALLOW
FOR VERTICAL
DEFLECTION

ELEV. VIEW

CONTINUOUS STRL
STEEL BY OTHERS

ELEV. VIEW

(2) 1/4" DIAMETER FASTENERS AS
REQUIRED BY DESIGN THROUGH DRIFT
BUSHINGS IN THE CLIP SLOTS TO
STRUCTURAL STEEL

CLARKDIETRICH 362DHW-XX WITH (2)
PROPRIETARY DEFLECTION SCREWS,
CENTERED IN DEFLECTION SLOTS.

STUD AS REQUIRED

INSTALLATION NOTES:

- LATERAL BRACING RECOMMENDED
NOT MORE THAN 12" FROM TOP
OF STUD

DRIFT HEAD-OF-WALL (362DHW)
CONNECTION TO STEEL STRUCTURE



ClarkDietrich.

Engineering Services: (877) 832-3206

Technical Services: (888) 437-3244

The CAD detail library is intended to provide general framing details only and does not replace the judgments and designs of a qualified architect and/or engineer. The details are provided as a starting tool to assist the user in creating and detailing cold-formed steel framing construction details. Each detail including accompanying text must be thoroughly evaluated and approved by a qualified architect or engineer. | Find over 500 CAD details at cad.clarkdietrich.com | © Copyright 2020 ClarkDietrich