



CONTINUOUS STRL ANGLE BY OTHERS
 3-1/2" MIN VERTICAL LEG AND 3/16"
 MIN. THICKNESS




ClarkDietrich D-FCSC8 WITH (4)
 PROPRIETARY SCREWS TO STUD AND (2)
 SCREWS W/ BUSHINGS TO STRL STEEL
 (THROUGH CENTER OF HORIZONTAL SLOTS),
 AS SHOWN. CLIP THICKNESS AND
 ATTACHMENT TO STRL STEEL, AS REQ'D BY
 DESIGN

STRUCTURAL STUD. SIZE AND SPACING AS
 REQ'D BY DESIGN



SIDE VIEW



TOP VIEW

STUD CONNECTION W/ D-FCSC8 (8") CLIP
 CURTAIN WALL BYPASS WITH DRIFT & VERTICAL DEFLECTION



Engineering Services: (877) 832-3206

Technical Services: (888) 437-3244

The CAD detail library is intended to provide general framing details only and does not replace the judgments and designs of a qualified architect and/or engineer. The details are provided as a starting tool to assist the user in creating and detailing cold-formed steel framing construction details. Each detail including accompanying text must be thoroughly evaluated and approved by a qualified architect or engineer. | Find over 500 CAD details at cad.clarkdietrich.com | © Copyright 2020 ClarkDietrich